
Applied Surface Science 250 (2005) I-III



www.elsevier.com/locate/apsusc

Author Index

Alfredsen, G., see Temiz, A.	250 (2005) 35	Dai, Z., see Wang, W.	250 (2005) 268
An, F., see Gao, B.	250 (2005) 273	Dang, H., see Zhang, M.	250 (2005) 29
Anandan, C., see Balaraju, J.N.	250 (2005) 88	Deng, J., see Xie, J.	250 (2005) 152
Aydin, I., see Temiz, A.	250 (2005) 35	Deqing, W., S. Ziyuan and T. Yingli,	
Aydoğan, Ş., M. Sağlam and A. Türüt, On the		Microstructure and oxidation of hot-dip	
barrier inhomogeneities of polyaniline/p-		aluminized titanium at high temperature	250 (2005) 238
Si/Al structure at low temperature	250 (2005) 43	Duan, L., X. Zhang, K. Tang, L. Song and Z. Sun, Adsorption and diffusion of	
Balaraju, J.N., C. Anandan and K.S. Rajam,		cyclopentane in silicalite-1: a thermody-	
Morphological study of ternary Ni–Cu–P		namic and kinetic study	250 (2005) 79
alloys by atomic force microscopy	250 (2005) 88	name and kneed study	250 (2005) 17
Bao, Q., see Chen, C.	250 (2005) 98	Eikenes, M., see Temiz, A.	250 (2005) 35
Bao, YJ., see Shao, QY.	250 (2005) 14	El Idrissi, A., see Bouklah, M.	250 (2005) 50
Bittencourt, C., M.P. Felicissimo, A. Felten,	250 (2005) 14	El-Sayed, H.E.A., Structural and optical prop-	250 (2005) 50
L.A.O. Nunes, P. Ivanov, E. Llobet, JJ.		erties of thermally evaporated Bi ₂ Te ₃ films	250 (2005) 70
Pireaux and L. Houssiau, Characterization		crues of thermany evaporated $Bi_2 ie_3$ mins	250 (2005) 70
of WO ₃ :Ag films: ToF-SIMS studies of		Fan, S., see Gao, W.	250 (2005) 195
ammonia adsorption	250 (2005) 21	Fan, S.S., see Sheng, L.M.	250 (2005) 9
Bossert, J., see Cai, K.	250 (2005) 252	Fan, Y.H., see Wu, X.S.	250 (2005) 182
Bouklah, M., A. Ouassini, B. Hammouti and	230 (2003) 232	Fan, ZX., see Gao, W.	250 (2005) 195
A. El Idrissi, Corrosion inhibition of steel		Felicissimo, M.P., see Bittencourt, C.	250 (2005) 21
in 0.5 M H ₂ SO ₄ by [(2-pyridin-4-		Felten, A., see Bittencourt, C.	250 (2005) 21
ylethyl)thio]acetic acid	250 (2005) 50	Freitas, M.A., see Lins, V.F.C.	250 (2005) 124
ylediyi/dilojdeede deld	250 (2005) 50	Tionas, Witti, See Ellis, V.I.C.	250 (2000) 12 .
Cai, K., M. Müller, J. Bossert, A. Rechtenbach		Gao, B., P. Jiang, F. An, S. Zhao and Z. Ge,	
and K.D. Jandt, Surface structure and com-		Studies on the surface modification of	
position of flat titanium thin films as a		diatomite with polyethyleneimine and trap-	
function of film thickness and evaporation		ping effect of the modified diatomite for	
rate	250 (2005) 252	phenol	250 (2005) 273
Chen, C., D. Wang, Q. Bao, L. Zhang and T.	250 (2005) 252	Gao, W., M. Zhan, S. Fan, J. Shao and ZX.	200 (2000) 2.0
Lei, Influence of laser remelting on the		Fan, Laser-induced damage of Ta ₂ O ₅ /SiO ₂	
microstructure and phases constitution of		narrow-band interference filters under dif-	
plasma sprayed hydroxyapatite coatings	250 (2005) 98	ferent 1064 nm Nd:YAG laser modes	250 (2005) 195
Chen, C.Z., see Tian, Y.S.	250 (2005) 223	Ge, Z., see Gao, B.	250 (2005) 273
Chen, D.J., see Wu, X.S.	250 (2005) 182	Guan, D., see Wang, W.	250 (2005) 268
Chen, H.D., see Chen, Z.W.	250 (2005) 3	Gujar, T.P., V.R. Shinde, C.D. Lokhande, R.S.	
Chen, P., see Wang, T.	250 (2005) 188	Mane and SH. Han, Bismuth oxide thin	
Chen, Z.W., J.K.L. Lai, C.H. Shek and H.D.		films prepared by chemical bath deposition	
Chen, Nanocrystals formation and fractal		(CBD) method: annealing effect	250 (2005) 161
microstructural assessment in Au/Ge bilayer		,,	, , , , , , , , , , , , , , , , , , , ,
films upon annealing	250 (2005) 3	Hammouti, B., see Bouklah, M.	250 (2005) 50
Cheng, JB., see Shao, QY.	250 (2005) 14	Han, SH., see Gujar, T.P.	250 (2005) 161
Colakoglu, G., see Temiz, A.	250 (2005) 35	Houssiau, L., see Bittencourt, C.	250 (2005) 21
Cvikl, B., see Korošak, D.	250 (2005) 63	Hu, X., see Wang, T.	250 (2005) 188


Author Index

H OH W	250 (2005) 222	N D. V. and Charles O. V.	250 (2005) 14
Huo, Q.H., see Tian, Y.S.	250 (2005) 223	Nguyen, BY., see Shao, QY.	250 (2005) 14
Hwang, H., see Samantaray, C.B.	250 (2005) 146	Nishiyama, H., see Yukawa, Y.	250 (2005) 104
Inomides A.I. see Detil D.C.	250 (2005) 117	Nuhoğlu, Ç., E. Özerden and A. Türüt, The dependence of <i>I–V</i> and <i>C–V</i> characteristics	
Inamdar, A.I., see Patil, P.S. Inoue, Y., see Yukawa, Y.	250 (2005) 117	on temperature in the H-terminated Pb/	
Ivanov, P., see Bittencourt, C.	250 (2005) 104	p-Si(1 0 0) Schottky barrier diodes	250 (2005) 203
Ivanov, P., see Bittencourt, C.	230 (2003) 21	Nunes, L.A.O., see Bittencourt, C.	250 (2005) 21
Jaconson W. cas Wu O. H	250 (2005) 57	Nulles, L.A.O., see Bittencourt, C.	230 (2003) 21
Jaegermann, W., see Wu, QH.	250 (2005) 252	Ookubo, N., see Naitou, Y.	250 (2005) 209
Jandt, K.D., see Cai, K. Jiang, P., see Gao, B.	250 (2005) 273	Ouassini, A., see Bouklah, M.	250 (2005) 50
Jiang, S.S., see Wu, X.S.	250 (2005) 182	Özerden, E., see Nuhoğlu, Ç.	250 (2005) 203
	250 (2005) 182	Ozeiden, E., see Nunogiu, Ç.	230 (2003) 203
Jin, Z., see Zhang, M. Jutarosaga, T., S. Manne and S. Seraphin,	230 (2003) 29	Patil, P.S., S.H. Mujawar, A.I. Inamdar and	
Si-SiO ₂ interface formation in low-dose		S.B. Sadale, Electrochromic properties of	
low-energy separation by implanted oxy-		spray deposited TiO ₂ -doped WO ₃ thin films	250 (2005) 117
gen materials	250 (2005) 168	Paula e Silva, E.M., see Lins, V.F.C.	250 (2005) 117
gen materials	250 (2005) 108	Philip, R.R., B. Pradeep and T. Shripathi,	250 (2005) 124
Kim, J.W. and J.W. Lee, Ti/Al p-GaN Schottky		Photoconductivity in the ordered vacancy	
barrier height determined by $C-V$ measure-		compound CuIn ₅ Se ₈	250 (2005) 216
ments	250 (2005) 247	Pireaux, JJ., see Bittencourt, C.	250 (2005) 21
Korošak, D. and B. Cvikl, On the role of the	250 (2005) 247	Pradeep, B., see Philip, R.R.	250 (2005) 216
interface charge in non-ideal metal-semi-		Hadeep, B., see Himp, R.R.	250 (2005) 210
conductor contacts	250 (2005) 63	Qi, Y., see Wang, T.	250 (2005) 188
conductor contacts	250 (2005) 05	Qian, XF., see Li, Z.	250 (2005) 109
Lai, J.K.L., see Chen, Z.W.	250 (2005) 3	Quan, 12. 11, 500 21, 2.	250 (2000) 103
Lee, J.W., see Kim, J.W.	250 (2005) 247	Rajam, K.S., see Balaraju, J.N.	250 (2005) 88
Lei, T., see Chen, C.	250 (2005) 98	Rechtenbach, A., see Cai, K.	250 (2005) 252
Lei, T.Q., see Tian, Y.S.	250 (2005) 223	, , , , , , , , , , , , , , , , , , , ,	(
Li, AD., see Shao, QY.	250 (2005) 14	Sağlam, M., see Aydoğan, Ş.	250 (2005) 43
Li, Y., see Li, Z.	250 (2005) 109	Sadale, S.B., see Patil, P.S.	250 (2005) 117
Li, Z., Y. Li, XF. Qian, J. Yin and ZK. Zhu,		Saito, N., see Yukawa, Y.	250 (2005) 104
A simple method for selective immobiliza-		Samantaray, C.B., H. Sim and H. Hwang,	
tion of silver nanoparticles	250 (2005) 109	First-principles study of electronic struc-	
Lin, SM., Exact solution of the frequency		ture and optical properties of barium stron-	
shift in dynamic force microscopy	250 (2005) 228	tium titanates ($Ba_rSr_{1-r}TiO_3$)	250 (2005) 146
Ling, HQ., see Shao, QY.	250 (2005) 14	Seraphin, S., see Jutarosaga, T.	250 (2005) 168
Lins, V.F.C., M.A. Freitas and E.M. Paula e Silva,		Shao, J., see Gao, W.	250 (2005) 195
Corrosion resistance study of		Shao, QY., AD. Li, JB. Cheng, HQ. Ling,	
Fe-Mn-Al-C alloys using immersion and		D. Wu, ZG. Liu, YJ. Bao, M. Wang,	
potentiostatic tests	250 (2005) 124	NB. Ming, C. Wang, HW. Zhou and	
Liu, L., see Sheng, L.M.	250 (2005) 9	BY. Nguyen, Growth behavior of high k	
Liu, M., see Sheng, L.M.	250 (2005) 9	LaAlO ₃ films on Si by metalorganic chem-	
Liu, P., see Sheng, L.M.	250 (2005) 9	ical vapor deposition for alternative gate	
Liu, ZG., see Shao, QY.	250 (2005) 14	dielectric application	250 (2005) 14
Llobet, E., see Bittencourt, C.	250 (2005) 21	Shek, C.H., see Chen, Z.W.	250 (2005) 3
Lokhande, C.D., see Gujar, T.P.	250 (2005) 161	Shen, B., see Wu, X.S.	250 (2005) 182
Low, H. and Y. Xu, Moisture barrier of Al_xO_y		Sheng, L.M., M. Liu, P. Liu, Y. Wei, L. Liu and	
coating on poly(ethylene terephthalate),		S.S. Fan, Field emission from self-assembly	
poly(ethylene naphthalate) and poly		structure of carbon-nanotube films	250 (2005) 9
(carbonate) substrates	250 (2005) 135	Shinde, V.R., see Gujar, T.P.	250 (2005) 161
		Shripathi, T., see Philip, R.R.	250 (2005) 216
Mane, R.S., see Gujar, T.P.	250 (2005) 161	Sim, H., see Samantaray, C.B.	250 (2005) 146
Manne, S., see Jutarosaga, T.	250 (2005) 168	Song, L., see Duan, L.	250 (2005) 79
Ming, NB., see Shao, QY.	250 (2005) 14	Sun, Y., see Wang, W.	250 (2005) 268
Mujawar, S.H., see Patil, P.S.	250 (2005) 117	Sun, Z., see Duan, L.	250 (2005) 79
Müller, M., see Cai, K.	250 (2005) 252	T	
National V and N O L L A V C		Tang, K., see Duan, L.	250 (2005) 79
Naitou, Y. and N. Ookubo, Application of a		Temiz, A., U.C. Yildiz, I. Aydin, M. Eikenes,	
self-sensing conductive probe for Si device	250 (2005) 200	G. Alfredsen and G. Çolakoglu, Surface	
imaging	250 (2005) 209	roughness and color characteristics of	

wood treated with preservatives after accel-	42	Xu, J., see Wang, T.	250 (2005) 188
erated weathering test	250 (2005) 35	Xu, WZ., see Zeng, YJ.	250 (2005) 280
Thissen, A., see Wu, QH.	250 (2005) 57	Xu, Y., see Low, H.	250 (2005) 135
Tian, Y.S., C.Z. Chen, D.Y. Wang, Q.H. Huo			
and T.Q. Lei, Laser surface alloying of pure	200 0000 000	Ye, ZZ., see Zeng, YJ.	250 (2005) 280
titanium with TiN-B-Si-Ni mixed powders	250 (2005) 223	Yildiz, U.C., see Temiz, A.	250 (2005) 35
Türüt, A., see Aydoğan, Ş.	250 (2005) 43	Yin, J., see Li, Z.	250 (2005) 109
Türüt, A., see Nuhoğlu, Ç.	250 (2005) 203	Yingli, T., see Deqing, W.	250 (2005) 238
		Yukawa, Y., N. Saito, H. Nishiyama and	200 (2000) 200
Wang, C., see Shao, QY.	250 (2005) 14	Y. Inoue, Promotion of partial oxidation	
Wang, D., see Chen, C.	250 (2005) 98	of methanol over thin Pt and Pd film	
Wang, D.Y., see Tian, Y.S.	250 (2005) 223	catalysts by resonance oscillation of	
Wang, M., see Shao, QY.	250 (2005) 14	acoustic waves	250 (2005) 104
Wang, T., Y. Qi, J. Xu, X. Hu and P. Chen,			200 (2000) 10.
Effects of poly(ethylene glycol) on electri-			
cal conductivity of poly(3,4-ethylene-		Zeng, YJ., ZZ. Ye, WZ. Xu, LP. Zhu and	
dioxythiophene)-poly(styrenesulfonic		BH. Zhao, Well-aligned ZnO nanowires	
acid) film	250 (2005) 188	grown on Si substrate via metal-organic	*********
Wang, W., Z. Dai, Y. Sun, Y. Sun and D. Guan,		chemical vapor deposition	250 (2005) 280
Picosecond nonlinear optical response of		Zhai, Z.Y., see Wu, X.S.	250 (2005) 182
Ba _{0.5} Sr _{0.5} TiO ₃ thin films fabricated by		Zhan, M., see Gao, W.	250 (2005) 195
pulsed laser deposition	250 (2005) 268	Zhang, L., see Chen, C.	250 (2005) 98
Wang, X., see Xie, J.	250 (2005) 152	Zhang, L., see Xie, J.	250 (2005) 152
Wei, Y., see Sheng, L.M.	250 (2005) 9	Zhang, M., Z. Jin, Z. Zhang and H. Dang,	
Wu, D., see Shao, QY.	250 (2005) 14	Study of strong interaction between Pt and	****
Wu, QH., A. Thissen and W. Jaegermann,		TiO ₂ under oxidizing atmosphere	250 (2005) 29
Photoelectron spectroscopic study of Li		Zhang, R., see Wu, X.S.	250 (2005) 182
oxides on Li over-deposited V_2O_5 thin film		Zhang, X., see Duan, L.	250 (2005) 79
surfaces	250 (2005) 57	Zhang, Z., see Zhang, M.	250 (2005) 29
Wu, X.S., Z.Y. Zhai, Y.H. Fan, D.J. Chen,		Zhao, BH., see Zeng, YJ.	250 (2005) 280
B. Shen, R. Zhang, Y.D. Zheng and S.S.		Zhao, S., see Gao, B.	250 (2005) 273
Jiang, The solubility of phosphorus in GaN	250 (2005) 182	Zheng, Y.D., see Wu, X.S.	250 (2005) 182
		Zhou, HW., see Shao, QY.	250 (2005) 14
Xie, J., X. Wang, J. Deng and L. Zhang, Pore		Zhu, LP., see Zeng, YJ.	250 (2005) 280
size control of Pitch-based activated carbon		Zhu, ZK., see Li, Z.	250 (2005) 109
fibers by pyrolytic deposition of propylene	250 (2005) 152	Ziyuan, S., see Deqing, W.	250 (2005) 238



Applied Surface Science 250 (2005) IV-XIV



www.elsevier.com/locate/apsusc

Subject Index

Acid corrosion		Studies on the surface modification of diatomite with polyethyleneimine and trap-	
Corrosion resistance study of Fe-Mn-Al-C alloys using immersion and potentiostatic tests, V. F.C. Lins, M. A. Freitas and E. M. Paula e Silva	250 (2005) 124	ping effect of the modified diatomite for phenol, B. Gao, P. Jiang, F. An, S. Zhao and Z. Ge	250 (2005) 273
Acid		AFM	
Corrosion inhibition of steel in 0.5 M H ₂ SO ₄ by [(2-pyridin-4-ylethyl)thio]acetic acid, M. Bouklah, A. Ouassini, B. Hammouti and A. El Idrissi **Acoustic wave**	250 (2005) 50	Morphological study of ternary Ni-Cu-P alloys by atomic force microscopy, J.N. Balaraju, C. Anandan and K.S. Rajam Exact solution of the frequency shift in dynamic force microscopy, SM. Lin Surface structure and composition of flat titanium thin films as a function of film thickness and evaporation rate, K. Cai,	250 (2005) 88 250 (2005) 228
Promotion of partial oxidation of methanol over thin Pt and Pd film catalysts by resonance oscillation of acoustic waves, Y. Yukawa, N. Saito, H. Nishiyama and Y. Inoue	250 (2005) 104	M. Müller, J. Bossert, A. Rechtenbach and K. D. Jandt	250 (2005) 252
Activated carbon fiber Pore size control of Pitch-based activated carbon fibers by pyrolytic deposition of propylene, J. Xie, X. Wang, J. Deng and L. Zhang	250 (2005) 152	Surface roughness and color characteristics of wood treated with preservatives after accelerated weathering test, A. Temiz, U.C. Yildiz, I. Aydin, M. Eikenes, G. Alfredsen and G. Çolakoglu	250 (2005) 35
Admittance		Alloy	
On the role of the interface charge in non-ideal metal-semiconductor contacts, D. Korošak and B. Cvikl	250 (2005) 63	Corrosion resistance study of Fe-Mn-Al-C alloys using immersion and potentiostatic tests, V. F.C. Lins, M. A. Freitas and E. M. Paula e Silva	250 (2005) 124
Adsorption		Aluminizing	
Adsorption and diffusion of cyclopentane in silicalite-1: a thermodynamic and kinetic study, L. Duan, X. Zhang, K. Tang, L. Song and Z. Sun	250 (2005) 79	Microstructure and oxidation of hot-dip aluminized titanium at high temperature, W. Deqing, S. Ziyuan and T. Yingli	250 (2005) 238

Ar ion sputtering		effect, T.P. Gujar, V.R. Shinde, C.D. Lokhande, R.S. Mane and SH. Han	250 (2005) 161
Study of strong interaction between Pt and TiO ₂ under oxidizing atmosphere, M. Zhang, Z. Jin, Z. Zhang and H. Dang	250 (2005) 29	Bi_2Te_3 film	250 (2005) 101
Atomic force microscopy		Structural and optical properties of thermally evaporated Bi ₂ Te ₃ films, H.E.A. El-Sayed	250 (2005) 70
Si-SiO ₂ interface formation in low-dose low- energy separation by implanted oxygen		BST	230 (2003) 70
materials, T. Jutarosaga, S. Manne and S. Seraphin	250 (2005) 168	201	
Effects of poly(ethylene glycol) on electrical conductivity of poly(3,4-ethylenedioxythio-phene)-poly(styrenesulfonic acid) film,		First-principles study of electronic structure and optical properties of barium strontium titanates $(Ba_xSr_{1-x}TiO_3)$, C.B.	220 (2002) 444
T. Wang, Y. Qi, J. Xu, X. Hu and P. Chen	250 (2005) 188	Samantaray, H. Sim and H. Hwang	250 (2005) 146
Au/Ge bilayer films		C-V characteristics	
Nanocrystals formation and fractal microstruc- tural assessment in Au/Ge bilayer films upon annealing, Z.W. Chen, J.K.L. Lai, C.H. Shek and H.D. Chen	250 (2005) 3	Ti/Al p-GaN Schottky barrier height determined by C-V measurements, J. W. Kim and J. W. Lee	250 (2005) 247
$Ba_{0.5}Sr_{0.5}TiO_3$ films		Carbon nanotube	
Picosecond nonlinear optical response of Ba _{0.5} Sr _{0.5} TiO ₃ thin films fabricated by pulsed laser deposition, W. Wang, Z. Dai, Y. Sun, Y. Sun and D. Guan	250 (2005) 268	Field emission from self-assembly structure of carbon-nanotube films, L.M. Sheng, M. Liu, P. Liu, Y. Wei, L. Liu and S.S. Fan	250 (2005) 9
		Chemical bath deposition	
Band structure		· · · · · · · · · · · · · · · · · · ·	
First-principles study of electronic structure and optical properties of barium strontium titanates (Ba _x Sr _{1-x} TiO ₃), C.B. Samantaray, H. Sim and H. Hwang	250 (2005) 146	Bismuth oxide thin films prepared by chemical bath deposition (CBD) method: annealing effect, T.P. Gujar, V.R. Shinde, C.D. Lokhande, R.S. Mane and SH. Han	250 (2005) 161
Daniel and Lainha		Chemical vapor deposition	
Barrier height			
Ti/Al p-GaN Schottky barrier height determined by C-V measurements, J. W. Kim and J. W. Lee	250 (2005) 247	Pore size control of Pitch-based activated car- bon fibers by pyrolytic deposition of propy- lene, J. Xie, X. Wang, J. Deng and L. Zhang	250 (2005) 152
Barrier inhomogeneity		Color changes	
The dependence of <i>I-V</i> and <i>C-V</i> characteristics on temperature in the H-terminated Pb/p-Si(1 0 0) Schottky barrier diodes, Ç. Nuhoğlu, E. Özerden and A. Türüt	250 (2005) 203	Surface roughness and color characteristics of wood treated with preservatives after accelerated weathering test, A. Temiz, U.C. Yildiz, I. Aydin, M. Eikenes, G. Alfredsen and G. Çolakoglu	250 (2005) 35
Bi_2O_3		Contact angle	
Bismuth oxide thin films prepared by chemical bath deposition (CBD) method: annealing		Surface structure and composition of flat titanium thin films as a function of film	

thickness and evaporation rate, K. Cai, M. Müller, J. Bossert, A. Rechtenbach and		Dissipation	
K. D. Jandt	250 (2005) 252	Application of a self-sensing conductive probe for Si device imaging, Y. Naitou and N. Ookubo	250 (2005) 209
Copper-containing wood			
preservatives		Electrical conductivity	
Surface roughness and color characteristics of wood treated with preservatives after accelerated weathering test, A. Temiz, U.C. Yildiz, I. Aydin, M. Eikenes, G. Alfredsen and G. Çolakoglu	250 (2005) 35	Effects of poly(ethylene glycol) on electrical conductivity of poly(3,4-ethylene-dioxythiophene)-poly(styrenesulfonic acid) film, T. Wang, Y. Qi, J. Xu, X. Hu and P. Chen	250 (2005) 188
Corrosion		Electrical resistivity	
Corrosion inhibition of steel in 0.5 M H ₂ SO ₄ by [(2-pyridin-4-ylethyl)thio]acetic acid, M. Bouklah, A. Ouassini, B. Hammouti and A. El Idrissi Morphological study of ternary Ni-Cu-P	250 (2005) 50	Bismuth oxide thin films prepared by chemical bath deposition (CBD) method: annealing effect, T.P. Gujar, V.R. Shinde, C.D. Lokhande, R.S. Mane and SH. Han	250 (2005) 161
alloys by atomic force microscopy, J.N. Balaraju, C. Anandan and K.S. Rajam	250 (2005) 88	Electrochromism	
Cyclopentane		Electrochromic properties of spray deposited TiO ₂ -doped WO ₃ thin films, P.S. Patil, S.H. Mujawar, A.I. Inamdar and S.B. Sadale	250 (2005) 117
Adsorption and diffusion of cyclopentane in silicalite-1: a thermodynamic and kinetic study, L. Duan, X. Zhang, K. Tang, L. Song and Z. Sun	250 (2005) 79	Electroless deposition	
Diatomite		Morphological study of ternary Ni-Cu-P alloys by atomic force microscopy, J.N. Balaraju, C. Anandan and K.S. Rajam	250 (2005) 88
Studies on the surface modification of diatomite with polyethyleneimine and trapping effect of the modified diatomite		Electrostatic interaction	
for phenol, B. Gao, P. Jiang, F. An, S. Zhao and Z. Ge	250 (2005) 273	Studies on the surface modification of diatomite with polyethyleneimine and trap- ping effect of the modified diatomite for	
Diffusion		phenol, B. Gao, P. Jiang, F. An, S. Zhao and Z. Ge	250 (2005) 273
Adsorption and diffusion of cyclopentane in silicalite-1: a thermodynamic and kinetic study, L. Duan, X. Zhang, K. Tang, L. Song		Ethanol treatment	
and Z. Sun Microstructure and oxidation of hot-dip aluminized titanium at high temperature, W. Deqing, S. Ziyuan and T. Yingli	250 (2005) 79 250 (2005) 238	Field emission from self-assembly structure of carbon-nanotube films, L.M. Sheng, M. Liu, P. Liu, Y. Wei, L. Liu and S.S. Fan	250 (2005) 9
Disorder		Ferroelectrics	
District		First-principles study of electronic structure	
On the role of the interface charge in non-ideal metal-semiconductor contacts, D. Korošak and B. Cvikl	250 (2005) 63	and optical properties of barium strontium titanates ($Ba_xSr_{1-x}TiO_3$), C.B. Samantaray, H. Sim and H. Hwang	250 (2005) 146

Field emission	,	Gaussian distribution	
Tieta emission		Gaussian aistribution	
Field emission from self-assembly structure of carbon-nanotube films, L.M. Sheng, M.	250 (2005) 0	On the barrier inhomogeneities of polyani- line/p-Si/Al structure at low temperature,	250 (2005) 43
Liu, P. Liu, Y. Wei, L. Liu and S.S. Fan	250 (2005) 9	Ş. Aydoğan, M. Sağlam and A. Türüt	250 (2005) 43
Fractal		Growth mechanism	
Nanocrystals formation and fractal microstruc- tural assessment in Au/Ge bilayer films upon annealing, Z.W. Chen, J.K.L. Lai, C.H. Shek and H.D. Chen	250 (2005) 3	Growth behavior of high k LaAlO ₃ films on Si by metalorganic chemical vapor deposition for alternative gate dielectric application, QY. Shao, AD. Li, JB. Cheng, HQ. Ling, D. Wu, ZG. Liu, YJ. Bao, M. Wang, NB. Ming, C. Wang, HW. Zhou	
Free-running laser		and BY. Nguyen	250 (2005) 14
Laser-induced damage of Ta ₂ O ₅ /SiO ₂ narrow- band interference filters under different 1064 nm Nd:YAG laser modes, W. Gao,		HRTEM	
M. Zhan, S. Fan, J. Shao and ZX. Fan	250 (2005) 195	Nanocrystals formation and fractal microstruc- tural assessment in Au/Ge bilayer films	
Frequency shift		upon annealing, Z.W. Chen, J.K.L. Lai, C.H. Shek and H.D. Chen	250 (2005) 3
Exact solution of the frequency shift in dynamic force microscopy, SM. Lin	250 (2005) 228	Hydrogen bond interaction	
Friction coefficient		Studies on the surface modification of diatomite with polyethyleneimine and trapping effect of the modified diatomite for phenol,	
Laser surface alloying of pure titanium with TiN-B-Si-Ni mixed powders, Y.S. Tian, C.Z. Chen, D.Y. Wang, Q.H. Huo and T.Q.		B. Gao, P. Jiang, F. An, S. Zhao and Z. Ge	250 (2005) 273
Lei	250 (2005) 223	Hydroxyapatie	
GaN		Influence of laser remelting on the microstruc- ture and phases constitution of plasma sprayed hydroxyapatite coatings, C. Chen,	
Ti/Al p-GaN Schottky barrier height determined by $C-V$ measurements, J. W. Kim		D. Wang, Q. Bao, L. Zhang and T. Lei	250 (2005) 98
and J. W. Lee	250 (2005) 247	I–V characteristics	
$GaN_{I-x}P_x$ ternary alloys		On the barrier inhomogeneities of polyani- line/p-Si/Al structure at low temperature,	
The solubility of phosphorus in GaN, X.S. Wu, Z.Y. Zhai, Y.H. Fan, D.J. Chen, B. Shen, R. Zhang, Y.D. Zheng and S.S. Jiang	250 (2005) 182	Ş. Aydoğan, M. Sağlam and A. Türüt	250 (2005) 43
Zhang, 112. Zhong and 515. Mang	250 (2005) 102	Ideality factor	
Gate dielectric		On the role of the interface charge in non-ideal metal-semiconductor contacts, D. Korošak	
Growth behavior of high k LaAlO ₃ films on Si by metalorganic chemical vapor deposition for alternative gate dielectric application,		and B. Cvikl	250 (2005) 63
QY. Shao, AD. Li, JB. Cheng, HQ. Ling, D. Wu, ZG. Liu, YJ. Bao,		Inhibition	
M. Wang, NB. Ming, C. Wang, HW. Zhou and BY. Nguyen	250 (2005) 14	Corrosion inhibition of steel in 0.5 M H ₂ SO ₄ by [(2-pyridin-4-ylethyl)thio]acetic acid,	

On the role of the interface charge in non-ideal metal-semiconductor contacts, D. Korošak and B. Cvikl Metal-organic chemical vapor deposition Well-aligned ZnO nanowires grown on Si substrate via metal-organic chemical vapor deposition, YJ. Zeng, ZZ. Ye, WZ. Xu,	
Interface charge QH. Wu, A. Thissen and W. Jaegermann On the role of the interface charge in non-ideal metal-semiconductor contacts, D. Korošak and B. Cvikl Metal-organic chemical vapor deposition Well-aligned ZnO nanowires grown on Si substrate via metal-organic chemical vapor deposition, YJ. Zeng, ZZ. Ye, WZ. Xu,	
metal-semiconductor contacts, D. Korošak and B. Cvikl 250 (2005) 63 Metal-organic chemical vapor deposition Well-aligned ZnO nanowires grown on Si substrate via metal-organic chemical vapor deposition, YJ. Zeng, ZZ. Ye, WZ. Xu,	50 (2005) 57
and B. Cvikl 250 (2005) 63 deposition Well-aligned ZnO nanowires grown on Si substrate via metal—organic chemical vapor deposition, YJ. Zeng, ZZ. Ye, WZ. Xu,	
Ion implantation strate via metal-organic chemical vapor deposition, YJ. Zeng, ZZ. Ye, WZ. Xu,	
The solubility of phosphorus in GaN, X.S. Wu, LP. Zhu and BH. Zhao 25	50 (2005) 280
Z.Y. Zhai, Y.H. Fan, D.J. Chen, B. Shen, R. Zhang, Y.D. Zheng and S.S. Jiang 250 (2005) 182 Metal-semiconductor interface	
LaAlO ₃ film On the role of the interface charge in non-ideal metal-semiconductor contacts, D. Korošak	
Growth behavior of high k LaAlO ₃ films on Si and B. Cvikl 25 by metalorganic chemical vapor deposition	60 (2005) 63
for alternative gate dielectric application, QY. Shao, AD. Li, JB. Cheng, Metal-semiconductor-metal	
HQ. Ling, D. Wu, ZG. Liu, YJ. Bao, contacts M. Wang, NB. Ming, C. Wang,	
HW. Zhou and BY. Nguyen 250 (2005) 14 The dependence of <i>I-V</i> and <i>C-V</i> characteristics on temperature in the H-terminated Pb/p-Si(1 0 0) Schottky barrier diodes,	0 (2005) 202
2	0 (2005) 203
Corrosion inhibition of steel in 0.5 M H ₂ SO ₄ by [(2-pyridin-4-ylethyl)thio]acetic acid, M. Bouklah, A. Ouassini, B. Hammouti	
and A. El Idrissi 250 (2005) 50 Influence of laser remelting on the microstructure and phases constitution of plasma sprayed hydroxyapatite coatings, C. Chen,	
Laser alloying D. Wang, Q. Bao, L. Zhang and T. Lei 25	0 (2005) 98
Laser surface alloying of pure titanium with TiN-B-Si-Ni mixed powders, Y.S. Tian, C.Z. Chen, D.Y. Wang, Q.H. Huo and	
T.Q. Lei 250 (2005) 223 Growth behavior of high k LaAlO ₃ films on Si by metalorganic chemical vapor deposition for alternative gate dielectric application,	
Laser remelting QY. Shao, AD. Li, JB. Cheng, HQ. Ling, D. Wu, ZG. Liu, YJ. Bao, M.	
Influence of laser remelting on the microstructure and phases constitution of plasma sprayed hydroxyapatite coatings, C. Chen, Wang, NB. Ming, C. Wang, HW. Zhou and BY. Nguyen 250 The solubility of phosphorus in GaN, X.S. Wu,	0 (2005) 14
D. Wang, Q. Bao, L. Zhang and T. Lei 250 (2005) 98 Z.Y. Zhai, Y.H. Fan, D.J. Chen, B. Shen, R. Zhang, Y.D. Zheng and S.S. Jiang 250	0 (2005) 182
Laser-induced damage Moisture barrier	
Laser-induced damage of Ta ₂ O ₅ /SiO ₂ narrow-band interference filters under different 1064 nm Nd:YAG laser modes, W. Gao, M. Zhan, S. Fan, J. Shao and ZX. Fan 250 (2005) 195 Moisture barrier of Al _x O _y coating on poly (ethylene terephthalate), poly(ethylene naphthalate) and poly(carbonate) substrates, H. Low and Y. Xu 250) (2005) 135

Nanocrystal		pulsed laser deposition, W. Wang, Z. Dai, Y. Sun, Y. Sun and D. Guan	250 (2005) 268
Nanocrystals formation and fractal microstruc- tural assessment in Au/Ge bilayer films upon annealing, Z.W. Chen, J.K.L. Lai,		Optical properties	,
C.H. Shek and H.D. Chen	250 (2005) 3	First-principles study of electronic structure	
Nanoparticles		and optical properties of barium strontium titanates ($Ba_xSr_{1-x}TiO_3$), C.B. Samantaray, H. Sim and H. Hwang	250 (2005) 146
A simple method for selective immobilization of silver nanoparticles, Z. Li, Y. Li, XF.			
Qian, J. Yin and ZK. Zhu	250 (2005) 109	Optical	
Nanostructure		Bismuth oxide thin films prepared by chemical bath deposition (CBD) method: annealing effect, T.P. Gujar, V.R. Shinde,	
Surface structure and composition of flat titani- um thin films as a function of film thickness and evaporation rate, K. Cai, M. Müller,		C.D. Lokhande, R.S. Mane and SH. Han	250 (2005) 161
J. Bossert, A. Rechtenbach and K. D. Jandt	250 (2005) 252	Oxidation resistance	
Nanowires		Laser surface alloying of pure titanium with TiN-B-Si-Ni mixed powders, Y.S. Tian, C.Z. Chen, D.Y. Wang, Q.H. Huo and	
Well-aligned ZnO nanowires grown on Si sub- strate via metal-organic chemical vapor deposition, YJ. Zeng, ZZ. Ye, WZ. Xu,		T.Q. Lei	250 (2005) 223
LP. Zhu and BH. Zhao	250 (2005) 280	Oxidation	
Narrow-band interference filter		Microstructure and oxidation of hot-dip aluminized titanium at high temperature, W. Deqing, S. Ziyuan and T. Yingli	250 (2005) 238
Laser-induced damage of Ta ₂ O ₅ /SiO ₂ narrow- band interference filters under different			
1064 nm Nd: YAG laser modes, W. Gao, M. Zhan, S. Fan, J. Shao and ZX. Fan	250 (2005) 195	Partial oxidation of methanol	
Ni–Cu–P		Promotion of partial oxidation of methanol over thin Pt and Pd film catalysts by resonance oscillation of acoustic waves,	
Morphological study of ternary Ni-Cu-P		Y. Yukawa, N. Saito, H. Nishiyama and Y. Inoue	250 (2005) 104
alloys by atomic force microscopy, J.N. Balaraju, C. Anandan and K.S. Rajam	250 (2005) 88		(,
Balaraju, C. Allandan and K.S. Kajam	250 (2005) 00	Passivity	
Non-contact mode			
Exact solution of the frequency shift in dynamic force microscopy, SM. Lin	250 (2005) 228	Corrosion resistance study of Fe-Mn-Al-C alloys using immersion and potentiostatic tests, V. F.C. Lins, M. A. Freitas and E. M. Paula e Silva	250 (2005) 124
Optical constants			
Structural and optical properties of thermally evaporated Bi ₂ Te ₃ films, H.E.A. El-Sayed	250 (2005) 70	PC	
Optical nonlinearity		Moisture barrier of Al_xO_y coating on poly(ethylene terephthalate), poly(ethylene naph-	
Picosecond nonlinear optical response of $Ba_{0.5}Sr_{0.5}TiO_3$ thin films fabricated by		thalate) and poly(carbonate) substrates, H. Low and Y. Xu	250 (2005) 135

PEDOT-PSS		accelerated weathering test, A. Temiz, U.C. Yildiz, I. Aydin, M. Eikenes, G. Alfredsen	
Effects of poly(ethylene glycol) on electrical conductivity of poly(3,4-ethylenedioxythiophene)-poly(styrenesulfonic acid) film,		and G. Çolakoglu	250 (2005) 35
T. Wang, Y. Qi, J. Xu, X. Hu and P. Chen	250 (2005) 188	Plasma spraying	
PEN		Influence of laser remelting on the microstruc- ture and phases constitution of plasma sprayed hydroxyapatite coatings, C. Chen,	
Moisture barrier of Al _x O _y coating on poly (ethylene terephthalate), poly(ethylene naphthalate) and poly(carbonate) sub-		D. Wang, Q. Bao, L. Zhang and T. Lei	250 (2005) 98
strates, H. Low and Y. Xu	250 (2005) 135	Polyethyleneimine	
PET		Studies on the surface modification of diatomite with polyethyleneimine and trap- ping effect of the modified diatomite for	
Moisture barrier of Al _x O _y coating on poly(eth- ylene terephthalate), poly(ethylene naph- thalate) and poly(carbonate) substrates,		phenol, B. Gao, P. Jiang, F. An, S. Zhao and Z. Ge	250 (2005) 273
H. Low and Y. Xu	250 (2005) 135	Porosity	
Phases constitution		Pore size control of Pitch-based activated car-	
Influence of laser remelting on the microstruc- ture and phases constitution of plasma		bon fibers by pyrolytic deposition of propylene, J. Xie, X. Wang, J. Deng and L. Zhang	250 (2005) 152
sprayed hydroxyapatite coatings, C. Chen, D. Wang, Q. Bao, L. Zhang and T. Lei	250 (2005) 98	Potentiostatic	
Phenol		Corrosion resistance study of Fe-Mn-Al-C	
Studies on the surface modification of diatomite with polyethyleneimine and trapping effect of the modified diatomite for phenol,		alloys using immersion and potentiostatic tests, V. F.C. Lins, M. A. Freitas and E. M. Paula e Silva	250 (2005) 124
B. Gao, P. Jiang, F. An, S. Zhao and Z. Ge	250 (2005) 273	Propylene	
Photodegradation		Pore size control of Pitch-based activated car-	
Surface roughness and color characteristics of wood treated with preservatives after accelerated weathering test, A. Temiz, U.C.		bon fibers by pyrolytic deposition of propylene, J. Xie, X. Wang, J. Deng and L. Zhang	250 (2005) 152
Yildiz, I. Aydin, M. Eikenes, G. Alfredsen and G. Çolakoglu	250 (2005) 35	p-Si/Al structures	
Physical adsorption		On the barrier inhomogeneities of polyani-	
Pore size control of Pitch-based activated car- bon fibers by pyrolytic deposition of propy-		line/p-Si/Al structure at low temperature, Ş. Aydoğan, M. Sağlam and A. Türüt	250 (2005) 43
lene, J. Xie, X. Wang, J. Deng and L. Zhang	250 (2005) 152	Pt-TiO ₂ strong interaction	
Pine			
Surface roughness and color characteristics of wood treated with preservatives after		Study of strong interaction between Pt and TiO ₂ under oxidizing atmosphere, M. Zhang, Z. Jin, Z. Zhang and H. Dang	250 (2005) 29

Pulsed laser deposition		Schottky diodes	
Picosecond nonlinear optical response of Ba _{0.5} Sr _{0.5} TiO ₃ thin films fabricated by pulsed laser deposition, W. Wang, Z. Dai, Y. Sun, Y. Sun and D. Guan	250 (2005) 268	The dependence of <i>I-V</i> and <i>C-V</i> characteristics on temperature in the H-terminated Pb/p-Si(1 0 0) Schottky barrier diodes, Ç. Nuhoğlu, E. Özerden and A. Türüt	250 (2005) 203
PVP		Selective immobilization	
A simple method for selective immobilization of silver nanoparticles, Z. Li, Y. Li, XF. Qian, J. Yin and ZK. Zhu	250 (2005) 109	A simple method for selective immobilization of silver nanoparticles, Z. Li, Y. Li, XF. Qian, J. Yin and ZK. Zhu	250 (2005) 109
Pyridine		Selectivity of partial oxidation	
Corrosion inhibition of steel in 0.5 M H ₂ SO ₄ by [(2-pyridin-4-ylethyl)thio]acetic acid, M. Bouklah, A. Ouassini, B. Hammouti and A. El Idrissi	250 (2005) 50	Promotion of partial oxidation of methanol over thin Pt and Pd film catalysts by resonance oscillation of acoustic waves, Y. Yukawa, N. Saito, H. Nishiyama and Y. Inoue	250 (2005) 104
Resonance oscillation		Self-affine scaling	
Promotion of partial oxidation of methanol over thin Pt and Pd film catalysts by resonance oscillation of acoustic waves, Y. Yukawa, N. Saito, H. Nishiyama and Y. Inoue	250 (2005) 104	Si-SiO ₂ interface formation in low-dose low- energy separation by implanted oxygen materials, T. Jutarosaga, S. Manne and S. Seraphin	250 (2005) 168
Scaling analysis		Self-sensing probe	
Si-SiO ₂ interface formation in low-dose low- energy separation by implanted oxygen materials, T. Jutarosaga, S. Manne and S. Seraphin	250 (2005) 168	Application of a self-sensing conductive probe for Si device imaging, Y. Naitou and N. Ookubo SEM	250 (2005) 209
Scanning electron microscopy		Bismuth oxide thin films prepared by chemical	
Well-aligned ZnO nanowires grown on Si substrate via metal-organic chemical vapor deposition, YJ. Zeng, ZZ. Ye, WZ. Xu, LP. Zhu and BH. Zhao	250 (2005) 280	bath deposition (CBD) method: annealing effect, T.P. Gujar, V.R. Shinde, C.D. Lokhande, R.S. Mane and SH. Han Semiconductor	250 (2005) 161
Scanning probe microscope		Characterization of WO ₃ :Ag films: ToF-SIMS	
Application of a self-sensing conductive probe for Si device imaging, Y. Naitou and N. Ookubo	250 (2005) 209	studies of ammonia adsorption, C. Bittencourt, M.P. Felicissimo, A. Felten, L.A.O. Nunes, P. Ivanov, E. Llobet, JJ. Pireaux and L. Houssiau	250 (2005) 21
Schottky barrier		Separation by implanted oxygen materials	
On the role of the interface charge in non-ideal metal-semiconductor contacts, D. Korošak and B. Cvikl	250 (2005) 63	Si-SiO ₂ interface formation in low-dose low- energy separation by implanted oxygen	

Subject Index

materials, T. Jutarosaga, S. Manne and S. Seraphin	250 (2005) 168	S.H. Mujawar, A.I. Inamdar and S.B. Sadale	250 (2005) 117
Silicalite-1		Steel	
Adsorption and diffusion of cyclopentane in silicalite-1: a thermodynamic and kinetic study, L. Duan, X. Zhang, K. Tang, L. Song and Z. Sun	250 (2005) 79	Corrosion inhibition of steel in 0.5 M H ₂ SO ₄ by [(2-pyridin-4-ylethyl)thio]acetic acid, M. Bouklah, A. Ouassini, B. Hammouti and A. El Idrissi	250 (2005) 50
Silver		Surface characterization	
A simple method for selective immobilization of silver nanoparticles, Z. Li, Y. Li, XF. Qian, J. Yin and ZK. Zhu	250 (2005) 109	Surface structure and composition of flat titanium thin films as a function of film thickness and evaporation rate, K. Cai, M. Müller, J. Bossert, A. Rechtenbach and K. D. Jandt	250 (2005) 252
Single-pulse laser		K. D. Janut	230 (2003) 232
Laser-induced damage of Ta ₂ O ₅ /SiO ₂ narrow-		Surface energy	
band interference filters under different 1064 nm Nd:YAG laser modes, W. Gao, M. Zhan, S. Fan, J. Shao and ZX. Fan	250 (2005) 195	Moisture barrier of Al _x O _y coating on poly(ethylene terephthalate), poly(ethylene naphthalate) and poly(carbonate) substrates, H. Low and Y. Xu	250 (2005) 135
Si-SiO ₂ interfaces		11. Low and 1. Au	230 (2003) 133
Si-SiO ₂ interface formation in low-dose low-energy separation by implanted oxygen materials, T. Jutarosaga, S. Manne and S. Seraphin	250 (2005) 168	Surface modification Studies on the surface modification of diatomite with polyethyleneimine and trapping effect of the modified diatomite for phenol, B. Gao, P. Jiang, F. An, S. Zhao and Z. Ge	250 (2005) 273
A simple method for selective immobilization of silver nanoparticles, Z. Li, Y. Li, XF. Qian, J. Yin and ZK. Zhu	250 (2005) 109	Surface roughness	
Solubility of P		Surface roughness and color characteristics of wood treated with preservatives after accel-	
The solubility of phosphorus in GaN, X.S. Wu, Z.Y. Zhai, Y.H. Fan, D.J. Chen, B. Shen, R. Zhang, Y.D. Zheng and S.S. Jiang	250 (2005) 182	erated weathering test, A. Temiz, U.C. Yildiz, I. Aydin, M. Eikenes, G. Alfredsen and G. Çolakoglu Moisture barrier of Al _x O _y coating on poly(eth-	250 (2005) 35
Spectral photoconductivity		ylene terephthalate), poly(ethylene naph- thalate) and poly(carbonate) substrates,	250 (2005) 125
Photoconductivity in the ordered vacancy compound CuIn_5Se_8 , R. R. Philip, B. Pradeep and T. Shripathi	250 (2005) 216	H. Low and Y. Xu Thermodynamic	250 (2005) 135
Spray pyrolysis		Adsorption and diffusion of cyclopentane in	
Electrochromic properties of spray deposited TiO ₂ -doped WO ₃ thin films, P.S. Patil,		silicalite-1: a thermodynamic and kinetic study, L. Duan, X. Zhang, K. Tang, L. Song and Z. Sun	250 (2005) 79

Thin films		C. Bittencourt, M.P. Felicissimo, A. Felten,	
Electrochromic properties of spray deposited TiO ₂ -doped WO ₃ thin films, P.S. Patil, S.H.	250 (2005) 117	L.A.O. Nunes, P. Ivanov, E. Llobet, JJ. Pireaux and L. Houssiau	250 (2005) 21
Mujawar, A.I. Inamdar and S.B. Sadale	250 (2005) 117	Transient photoconductivity	
Thin Pd film catalysts		Photoconductivity in the ordered vacancy compound CuIn ₅ Se ₈ , R. R. Philip, B. Pradeep	250 (2005) 216
Promotion of partial oxidation of methanol over thin Pt and Pd film catalysts by resonance oscillation of acoustic waves,		and T. Shripathi	250 (2005) 216
Y. Yukawa, N. Saito, H. Nishiyama and Y. Inoue	250 (2005) 104	Transition metal oxides	
Thin Pt film catalysts		Characterization of WO ₃ :Ag films: ToF-SIMS studies of ammonia adsorption, C. Bittencourt, M.P. Felicissimo, A. Felten, L.A.O. Nunes, P. Ivanov, E. Llobet,	
Promotion of partial oxidation of methanol over thin Pt and Pd film catalysts by resonance oscillation of acoustic waves,		JJ. Pireaux and L. Houssiau	250 (2005) 21
Y. Yukawa, N. Saito, H. Nishiyama and Y. Inoue	250 (2005) 104	Tuning fork	
TiO ₂	250 (2005) 10	Application of a self-sensing conductive probe for Si device imaging, Y. Naitou and N. Ookubo	250 (2005) 209
		CORAGO	200 (2000) 200
Electrochromic properties of spray deposited TiO ₂ -doped WO ₃ thin films, P.S. Patil, S.H. Mujawar, A.I. Inamdar and S.B. Sadale	250 (2005) 117	UPS	
Titanium aluminide		Photoelectron spectroscopic study of Li oxides on Li over-deposited V ₂ O ₅ thin film sur- faces, QH. Wu, A. Thissen and W. Jaegermann	250 (2005) 57
Microstructure and oxidation of hot-dip aluminized titanium at high temperature, W. Deqing, S. Ziyuan and T. Yingli	250 (2005) 238	UV-ozone	
Titanium thin film		Moisture barrier of Al_xO_y coating on poly (ethylene terephthalate), poly(ethylene naphthalate) and poly(carbonate) sub-	
Surface structure and composition of flat tita- nium thin films as a function of film thick- ness and evaporation rate, K. Cai,		strates, H. Low and Y. Xu	250 (2005) 135
M. Müller, J. Bossert, A. Rechtenbach and K. D. Jandt	250 (2005) 252	V_2O_5	
Titanium		Photoelectron spectroscopic study of Li oxides on Li over-deposited V ₂ O ₅ thin film surfaces, QH. Wu, A. Thissen and	
Laser surface alloying of pure titanium with TiN-B-Si-Ni mixed powders, Y.S. Tian, C.Z. Chen, D.Y. Wang, Q.H. Huo and		W. Jaegermann	250 (2005) 57
T.Q. Lei	250 (2005) 223	WO_3	
ToF-SIMS		Electrochromic properties of spray deposited TiO ₂ -doped WO ₃ thin films, P.S. Patil,	
Characterization of WO ₃ :Ag films: ToF-SIMS studies of ammonia adsorption,		S.H. Mujawar, A.I. Inamdar and S.B. Sadale	250 (2005) 117

XPS Study of strong interaction between Pt and TiO ₂ under oxidizing atmosphere, M.		Photoconductivity in the ordered vacancy compound CuIn ₅ Se ₈ , R. R. Philip, B. Pradeep and T. Shripathi	250 (2005) 216
Zhang, Z. Jin, Z. Zhang and H. Dang	250 (2005) 29	XRD	
Photoelectron spectroscopic study of Li oxides			
on Li over-deposited V_2O_5 thin film surfaces, QH. Wu, A. Thissen and W.		Surface structure and composition of flat titani- um thin films as a function of film thickness	
Jaegermann	250 (2005) 57	and evaporation rate, K. Cai, M. Müller, J.	
Morphological study of ternary Ni-Cu-P alloys by atomic force microscopy, J.N.		Bossert, A. Rechtenbach and K. D. Jandt	250 (2005) 252
Balaraju, C. Anandan and K.S. Rajam	250 (2005) 88	Z-scan	
Surface structure and composition of flat titanium thin films as a function of film			
thickness and evaporation rate, K. Cai,		Picosecond nonlinear optical response of	
M. Müller, J. Bossert, A. Rechtenbach and K. D. Jandt	250 (2005) 252	Ba _{0.5} Sr _{0.5} TiO ₃ thin films fabricated by pulsed laser deposition, W. Wang, Z. Dai,	
K. D. Janu	230 (2003) 232	Y. Sun, Y. Sun and D. Guan	250 (2005) 268
X-ray photoelectron spectroscopy			
		Zinc compounds	
Effects of poly(ethylene glycol) on electrical conductivity of poly(3,4-ethylene-dioxythiophene)-poly(styrenesulfonic acid) film, T. Wang, Y. Qi, J. Xu, X. Hu and		Well-aligned ZnO nanowires grown on Si sub- strate via metal-organic chemical vapor deposition, YJ. Zeng, ZZ. Ye, WZ. Xu,	
P. Chen	250 (2005) 188	LP. Zhu and BH. Zhao	250 (2005) 280